Datasheet: VMA00381K

Description:	CIP2A ANTIBODY WITH CONTROL LYSATE
Specificity:	CIP2A
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Clone:	OTI1C11
Isotype:	IgG1
Quantity:	10 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively validated for the western blot application. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Product Form

Purified IgG - liquid

Preparation

100µl Mouse monoclonal antibody purified by affinity chromatography from ascites

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN_3)
1% Bovine Serum Albumin
50% Glycerol

Immunogen

Recombinant protein fragment corresponding to aa 635-905 of human CIP2A (NP_065941) produced in *E.coli*

External Database Links

UniProt:
Q8TCG1 Related reagents

Entrez Gene:
57650 KIAA1524 Related reagents

Synonyms

CIP2A

Specificity	**Mouse anti Human CIP2A antibody** recognizes CIP2A, also known as cancerous inhibitor of PP2A, cancerous inhibitor of protein phosphatase 2A and p90 autoantigen. Mouse anti Human CIP2A antibody detects a band of 90 kDa. The antibody has been extensively validated for western blotting using whole cell lysates. This antibody is available with a positive control lysate, in a smaller trial size, and as a standalone antibody.
Western Blotting	Anti CIP2A detects a band of approximately 90 kDa in HEK293 cell lysates
Instructions For Use	Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400µg HEK293 lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H_2O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H_2O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Shelf Life	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet Documentation #10048 for antibody available at https://www.bio-rad-antibodies.com/uploads/MSDS/10048.pdf Lysate Material Safety Datasheet Documentation #10561 available at https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M286391:160718'

Printed on 27 May 2017

© 2017 Bio-Rad Laboratories Inc | Legal | Imprint