Datasheet: VMA00507KT

Description:	Mcl-1 ANTIBODY WITH CONTROL LYSATE
Specificity:	Mcl-1
Format:	Purified
Product Type:	PrecisionAb™ Monoclonal
Isotype:	IgG1
Quantity:	2 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively validated for the western blot application. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Mouse, Rat
N.B. Antibody reactivity and working conditions may vary between species.

Product Form

Purified IgG - liquid

Preparation

20µl Mouse monoclonal antibody purified by affinity chromatography on Protein G from ascites

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN_3)

Immunogen

E. coli derived recombinant protein corresponding to amino acids 1-230 of human Mcl-1

External Database Links

UniProt:
Q07820 Related reagents

Entrez Gene:
4170 MCL1 Related reagents

Synonyms

BCL2L3

Specificity	**Mouse anti Human Mcl-1 antibody** recognizes the induced myeloid leukemia cell differentiation protein Mcl-1, also known as bcl-2-like protein 3, bcl-2-related protein EAT/mcl1, myeloid cell leukemia ES or myeloid cell leukemia sequence 1 (BCL2-related). Mcl-1 is a member of the Bcl-2 family. Alternative splicing results in multiple transcript variants. The longest gene product (isoform 1) enhances cell survival by inhibiting apoptosis while the alternatively spliced shorter gene products (isoform 2 and isoform 3) promote apoptosis and are death-inducing (provided by RefSeq, Oct 2010). Mouse anti Human Mcl-1 antibody detects a band of 40 kDa. The antibody has been extensively validated for western blotting using whole cell lysates.
Western Blotting	Anti Mcl-1 detects a band of approximately 40 kDa in HeLa cell lysate
Instructions For Use	Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400µg HeLa lysate lyophilized in RIPA buffer.
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H_2O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H_2O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20ºC, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Shelf Life	As supplied, 12 months from date of despatch.
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories.
Health And Safety Information	Material Safety Datasheet documentation #10040 #10561 available at: Antibody (10040): https://www.bio-rad-antibodies.com/uploads/MSDS/10040.pdf Lysate Material (10561): https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Mouse IgG (H/L) (STAR207...) HRP

Recommended Negative Controls

MOUSE IgG1 NEGATIVE CONTROL (MCA928)

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

Printed on 02 May 2018

© 2018 Bio-Rad Laboratories Inc | Legal | Imprint