Datasheet: VPA00382K

Description:	EIF3I ANTIBODY WITH CONTROL LYSATE
Specificity:	EIF3I
Format:	Purified
Product Type:	PrecisionAb™ Polyclonal
Isotype:	Polyclonal IgG
Quantity:	10 Westerns

Product Details

Applications

This product has been reported to work in the following applications. This information is derived from testing within our laboratories, peer-reviewed publications or personal communications from the originators. Please refer to references indicated for further information. For general protocol recommendations, please visit www.bio-rad-antibodies.com/protocols.

	Yes	No	Not Determined	Suggested Dilution
Western Blotting	▪			1/1000

PrecisionAb antibodies have been extensively validated for the western blot application. The antibody has been validated at the suggested dilution. Where this product has not been tested for use in a particular technique this does not necessarily exclude its use in such procedures. Further optimization may be required dependant on sample type.

Target Species

Human

Species Cross Reactivity

Reacts with: Mouse
N.B. Antibody reactivity and working conditions may vary between species.

Product Form

Purified IgG - liquid

Preparation

100µl Rabbit polyclonal antibody purified by affinity chromatography

Buffer Solution

Phosphate buffered saline

Preservative Stabilisers

0.09% Sodium Azide (NaN_3)
2% Sucrose

Immunogen

Synthetic peptide corresponding to the C-terminal region of human EIF3I

External Database Links

UniProt:
Q13347 Related reagents

Entrez Gene:
8668 EIF3I Related reagents

Synonyms

EIF3S2, TRIP1

Specificity	**Rabbit anti Human EIF3I antibody** recognizes the EIF3I, also known as TGF beta receptor-interacting protein 1, TRIP1 and eukaryotic translation initiation factor 3 subunit I. Rabbit anti Human EIF3I antibody detects a band of 39 kDa. The antibody has been extensively validated for western blotting using whole cell lysates. This antibody is available with a positive control lysate, in a smaller trial size, and as a standalone antibody.
Western Blotting	Anti EIF3I detects a band of approximately 39 kDa in Jurkat cell lysate
Instructions For Use	Please refer to the PrecisionAb western blotting protocol. For additional information on secondary antibody dilution and exposure time see product web page.
Lysate Composition	400µg Jurkat lysate lyophilized in RIPA buffer
Lysate Reconstitution	- If using DDT reconstitute the lyophilized lysate with 190µl DI H_2O, add 200µl 2x Laemmli Sample Buffer and 10µl 2M DTT. - If using BME reconstitute the lyophilized lysate with 180µl DI H_2O, add 200µl 2x Laemmli Sample Buffer and 20µl BME. Heat at 95°C for 5 minutes. For 10 well mini gels load 25µl. For other gel and comb formats please refer to the PrecisionAb western blotting protocol.
Storage	Antibody: Store undiluted at -20°C, avoiding repeated freeze thaw cycles. Lysate: Store lyophilized lysate at -20°C. After reconstitution aliquot and store at -20°C for up to 3 months or at -80°C for longer term storage.
Shelf Life	As supplied, 12 months from date of despatch
Acknowledgements	PrecisionAb™ is a trademark of Bio-Rad Laboratories
Health And Safety Information	Material Safety Datasheet Documentation #10045 for antibody available at https://www.bio-rad-antibodies.com/uploads/MSDS/10045.pdf Lysate Material Safety Datasheet Documentation #10561 available at https://www.bio-rad-antibodies.com/uploads/MSDS/10561.pdf
Regulatory	For research purposes only

Related Products

Recommended Secondary Antibodies

Goat Anti Rabbit IgG (H/L) (STAR208...) HRP

North & South America	Tel: +1 800 265 7376 Fax: +1 919 878 3751 Email: antibody_sales_us@bio-rad.com	**Worldwide**	Tel: +44 (0)1865 852 700 Fax: +44 (0)1865 852 739 Email: antibody_sales_uk@bio-rad.com	**Europe**	Tel: +49 (0) 89 8090 95 21 Fax: +49 (0) 89 8090 95 50 Email: antibody_sales_de@bio-rad.com

'M286915:160718'

Printed on 23 May 2017

© 2017 Bio-Rad Laboratories Inc | Legal | Imprint